



NEWS RELEASE

FOR IMMEDIATE RELEASE:

August 19, 2022

CONTACT:

Michael.claffey@illinois.gov

Public Health Officials Announce 25,084 New Cases of Coronavirus Disease Over the Past Week

CDC Reports 81 Illinois Counties at High or Medium Community Level; Public Health Officials Urge Illinoisans to Get Up to date on Vaccines and Boosters

CHICAGO – The Illinois Department of Public Health (IDPH) today reported 25,084 new confirmed and probable cases of coronavirus disease (COVID-19) in Illinois, including 56 deaths since August 12, 2022.

According to the CDC, [42 counties are now rated](#) at [High Community Level](#) for COVID-19. An additional 39 counties in Illinois are now rated at Medium Community Level.

Currently, IDPH is reporting a total of 3,645,961 cases, including 34,595 deaths, in 102 counties in Illinois since the beginning of the pandemic.

As of last night, 1,434 individuals in Illinois were reported to be in the hospital with COVID-19. Of those, 152 patients were in the ICU and 56 patients with COVID-19 were on ventilators. The preliminary seven-day statewide case rate is 197 COVID-19 cases per 100,000 Illinoisans.

IDPH Director Sameer Vohra is urging all Illinoisans to get up to date on vaccinations and booster shots as the best defense against hospitalization and more serious outcomes from COVID-19. A second booster shot is recommended for all individuals over the age of 50 four months after they have received their first booster. In addition, he is reminding parents and guardians to get children vaccinated. IDPH is supporting an education and outreach campaign by the Illinois Chapter of the American Academy of Pediatrics to educate healthcare providers and parents about the effectiveness and safety of the newly authorized vaccines for children under 5. Click [HERE](#) to view the resources for families

The counties in Illinois listed at High Community Level are Adams, Alexander, Champaign, Clark, Clay, Coles, Crawford, Cumberland, DeKalb, Douglas, Edwards, Ford, Franklin, Gallatin, Hardin, Henderson, Jasper, Jefferson, Jo Daviess, Johnson, Kane, Kendall, Lake, Lawrence, Lee,

Find us on Facebook at [Facebook.com/IDPH.Illinois](https://www.facebook.com/IDPH.Illinois) or follow us on Twitter [@IDPH](https://twitter.com/IDPH)

Nationally Accredited by PHAB



Macoupin, Mason, Massac, Montgomery, Ogle, Perry, Pike, Pope, Pulaski, Richland, Saline, Stephenson, Wabash, Wayne, Whiteside, Williamson, and Winnebago.

The CDC recommends the following measures for people in areas that are rated at **High Community Level** for COVID-19 transmission:

- Wear a well-fitting mask indoors in public, regardless of vaccination status (including in K-12 schools and other indoor community settings)
- If you are immunocompromised or [high risk](#) for severe disease
 - Wear a [mask or respirator](#) that provides you with greater protection
 - Consider avoiding non-essential indoor activities in public where you could be exposed
 - Talk to your healthcare provider about whether you need to take other precautions
 - Have a plan for rapid testing if needed (e.g., having home tests or access to testing)
 - IF YOU TEST POSITIVE: Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, and monoclonal antibodies
- If you have household or social contact with someone at [high risk](#) for severe disease
 - consider self-testing to detect infection before contact
 - consider wearing a mask when indoors with them
- Stay up to date with COVID-19 vaccines and boosters
- Maintain improved ventilation throughout indoor spaces when possible
- Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19

At the **Medium Community Level**, persons who are elderly or immunocompromised (at risk of severe outcomes) are advised to wear a mask in indoor public places. In addition, they should make sure to get up to date on their COVID-19 vaccines or get their 2nd booster, if eligible.

IDPH has been supporting pharmacies and healthcare providers in efforts to increase their inventories of the various FDA-authorized treatments. There are [over 1,200 treatment locations](#) in Illinois - including all the major retail pharmacies. More than 96.7% of the state's population is within a 10-mile radius of one of these locations.

A total of 23,166,764 vaccines have been administered in Illinois. The seven-day rolling average of vaccines administered daily is 8,023 doses. Since August 12, 56,163 doses were reported administered in Illinois. Of Illinois' total population, more than 77% has received at least one COVID-19 vaccine dose, more than 69% of Illinois' total population is fully vaccinated, and more than 54% of the vaccinated population has an initial booster according to data from the [Centers for Disease Control and Prevention](#). Data indicates that the risk of hospitalization and severe outcomes from COVID-19 is much higher for unvaccinated people than for those who are up to date on their vaccinations. All data are provisional and are subject to change. Additional information and COVID-19 data can be found at <https://dph.illinois.gov/covid19.html>.

Vaccination is the key to ending this pandemic. To find a COVID-19 vaccination location near you, go to www.vaccines.gov. The federal government has established a new website that provides an all-purpose toolkit with information on how to obtain masks, treatment, vaccines and testing resources for all areas of the country at: <https://www.covid.gov/>.



NEWS RELEASE

###

Find us on Facebook at [Facebook.com/IDPH.Illinois](https://www.facebook.com/IDPH.Illinois) or follow us on Twitter @IDPH

Nationally Accredited by PHAB

